





heatapp! checked components






Only the components that we declare as **heatapp! checked** can be assigned to a room in **heatapp!** and thus assume a heating function. In order to carry out the desired function, it is essential to pay attention to the exact type designation when purchasing. Components that look identical in construction cannot perform the functions.

These articles are available from specialist dealers and not from EbV Elektronikbau- und Vertriebs GmbH.


heatapp! checked components of other manufacturers:

Image	Manufacturer	Type designation	Function
	Aeon Labs LLC AEOTEC https://aeotec.com	Flush-mounted switch Aeon labs Aeotec Micro Switch G2 <ul style="list-style-type: none"> DSC18103-ZWEU DSC26103-ZWEU (no longer available)	Flush-mounted switch is integrated as a heatapp! single floor into the heatapp! system and used in conjunction with a heatapp! sense / sense control to switch electrical heaters.
	Aeon Labs LLC AEOTEC https://aeotec.com	Flush-mounted switch Aeotec Nano Switch <ul style="list-style-type: none"> ZW139-C, EU ZW116-C, EU mit Energy measurement function (not used in heatapp!) 	
	Aeon Labs LLC AEOTEC https://aeotec.com	Switch socket Aeotec Smart Switch 6 AEOEZW096-EU ZW096-C16	Switch socket is integrated as a heatapp! single floor into the heatapp! system and used in conjunction with a heatapp! sense / sense control to switch electrical heaters.
	Popp & Co. Große Johannisstr. 7 20457 Hamburg http://www.popp.eu	Switch socket Popp 009006	



heatapp! checked components

	<p>Aeon Labs LLC AEOTEC https://aeotec.com</p>	<p>Window contact Aeotec Door/Window Sensor Gen5 DSB29-ZWEU</p>	<p>The window contact is integrated into the heatapp! system. The function must be configured in the Profi > Room > Room setting menu in the heatapp! base.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%; text-align: left;">Settings</th> <th style="text-align: left;">Function</th> </tr> </thead> <tbody> <tr> <td>Off (factory setting)</td> <td>Window deactivation off, information only</td> </tr> <tr> <td>5 min bis 240 min in 5 min steps</td> <td>Blocking the heating function (regulation to frost protection temperature) for the set duration. The rotary knob is blocked; scenes only take effect after the window has been closed.</td> </tr> <tr> <td>on</td> <td>The heating function is blocked for the duration of the window opening. The rotary knob is blocked, scenes only take effect after the window has been closed.</td> </tr> </tbody> </table>	Settings	Function	Off (factory setting)	Window deactivation off, information only	5 min bis 240 min in 5 min steps	Blocking the heating function (regulation to frost protection temperature) for the set duration. The rotary knob is blocked; scenes only take effect after the window has been closed.	on	The heating function is blocked for the duration of the window opening. The rotary knob is blocked, scenes only take effect after the window has been closed.
Settings	Function										
Off (factory setting)	Window deactivation off, information only										
5 min bis 240 min in 5 min steps	Blocking the heating function (regulation to frost protection temperature) for the set duration. The rotary knob is blocked; scenes only take effect after the window has been closed.										
on	The heating function is blocked for the duration of the window opening. The rotary knob is blocked, scenes only take effect after the window has been closed.										
	<p>Aeon Labs LLC AEOTEC https://aeotec.com</p>	<p>Aeotec Door/Window Sensor 7 SKU: ZWA008-C</p>									
	<p>Cyrus Technology GmbH Hergelsbendenstraße 49 52080 Aachen http://www.cyrus-technology.de/</p>	<p>Window contact Cyrus Door/window contact ZUB_CYR10076</p>									
	<p>Devolu AG Charlottenburger Allee 67, 52068 Aachen https://www.devolu.de</p>	<p>Home Control Tür-/Fensterkontakt Devolu Modellnummer: MT2648 Artikelnummer 09355</p>									
	<p>D-Link (Deutschland) GmbH Schwalbacher Str. 74 D-65760 Eschborn Tel.: +49 (0)6196 /77 99-0 · www.dlink.com/de/de/</p>	<p>Door/Window Sensor D-link dch-z110</p>									

heatapp! checked components

	<p>ABUS August Bremicker Söhne KG</p> <p>https://mobil.abus.com/de</p>	<p>ABUS Door / Window Sensor</p> <ul style="list-style-type: none"> • SHMK10000 	
	<p>VISION AUTOMOBILE ELECTRONICS INDUSTRIAL CO., LTD</p> <p>http://www.visionsecurity.com.tw/</p>	<p>Vision Fensterkontakt</p> <ul style="list-style-type: none"> • Vision ZD2102EU-5 • Schwaiger ZHS09 	
	<p>Fibaro</p> <p>www.fibaro.com</p>	<p>Fibaro Fensterkontakt</p> <ul style="list-style-type: none"> • Fibaro FGDW-002 	
	<p>Aeon Labs LLC AEOTEC https://aeotec.com</p>	<p>Aeotec Range Extender heatapp! repeater DSD37-ZWEU</p>	<p>Z-Wave repeaters of the manufacturer Aeon Labs with the designation DSD 37-ZWEU are recognized as heatapp! repeaters and improve the radio coverage of a heatapp! system.</p>
	<p>Aeon Labs LLC AEOTEC https://aeotec.com</p>	<p>Aeotec Range Extender heatapp! repeater</p> <ul style="list-style-type: none"> • ZW117 	<p>Z-Wave Repeater des Herstellers Aeon Labs mit der Bezeichnung ZW117 werden als heatapp! repeater erkannt und verbessern die Funkabdeckung eines heatapp! Systems.</p>

heatapp! checked components

	<p>Aeon Labs LLC AEOTEC https://aeotec.com</p>	<p>Aeotec Range Extender 7 heatapp! repeater ZW189-C15</p>	<p>Z-Wave repeaters of the manufacturer Aeon Labs with the designation ZW189-C15 are recognized as heatapp! repeaters and improve the radio coverage of a heatapp! system.</p>
	<p>Danfoss GmbH Carl-Legien-Str. 8 63073 Offenbach, Hessen Germany</p>	<p>Danfoss Z-Wave RS-Z 014G0160</p>	<p>Z-Wave room thermostat with display and possibility to adjust the setpoint temperature.</p>